


## ANALYZED BY:

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
C8-0000052-LIC

## CUSTOMER:

Crescent Distributions  
2036 7th  
New Orleans, LA 70115



## SAMPLE INFORMATION

**Sample No.:** 1304690  
**Product Name:** Wobble  
**Matrix:** Edible (Beverage)  
**Lot #:** CR076

**Date Collected:** 05/16/2025  
**Date Received:** 05/16/2025  
**Date Reported:** 05/20/2025

## TEST SUMMARY

**Cannabinoid Profile:** ✔ Pass  
**Pesticide Residue Screen:** ✔ Pass  
**Heavy Metal Screen:** ✔ Pass  
**Mycotoxin Screen:** ✔ Pass

**Microbiological Screen:** ✔ Pass  
**Residual Solvent Screen:** ✔ Pass  
**Foreign Material:** ✔ Pass

## Cannabinoid Profile ✔ Pass

05/19/2025

**Method:** MF-CHEM-15  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection** 0.0008 mg/g  
**Limit of Quantitation** 0.0025 mg/g

| Cannabinoid                   | mg/g     | %       | mg/ml  | mg/serving | mg/package | Labeled mg/serving | % Difference | Status |
|-------------------------------|----------|---------|--------|------------|------------|--------------------|--------------|--------|
| Δ8-THC                        | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| Δ9-THC                        | 0.0239   | 0.00239 | 0.0248 | 8.80       | 8.80       | 10                 | 11.96        | Pass   |
| Δ9-THCA                       | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| THCV                          | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| THCVA                         | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| CBD                           | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| CBDA                          | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| CBC                           | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| CBCA                          | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| CBDV                          | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| CBG                           | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| CBGA                          | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| CBN                           | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| Exo-THC                       | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| (6aR,9R)-Δ10-THC              | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| (6aR,9S)-Δ10-THC              | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| 9(R)-Hexahydrocannabinol      | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| 9(S)-Hexahydrocannabinol      | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| Δ8-THC-O-Acetate              | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| Δ9-THC-O-Acetate              | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| THC-O-Phosphate               | NT       | NT      | NT     | NT         | NT         | -                  | -            | -      |
| Total THC                     | 0.0239   | 0.00239 | 0.0248 | 8.80       | 8.80       | -                  | -            | -      |
| Total CBD                     | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| Total Cannabinoids            | 0.0239   | 0.00239 | 0.0248 | 8.80       | 8.80       | -                  | -            | -      |
| Sum of Cannabinoids           | 0.0239   | 0.00239 | 0.0248 | 8.80       | 8.80       | -                  | -            | -      |
| <b>Serving Weight (g)</b>     | 368.3835 |         |        |            |            |                    |              |        |
| <b>Package Weight (g)</b>     | 368.3835 |         |        |            |            |                    |              |        |
| <b>g/ml Conversion Factor</b> | 1.0377   |         |        |            |            |                    |              |        |

Total THC = Δ8-THC + Δ9-THC + (0.877 \* THCA)  
Total CBD = CBD + (0.877 \* CBDA)  
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

**Comments** This result of this sample is confirmed with a retest.

## Microbiological Screen ✓ Pass

05/20/2025

| Analyte                              | Findings | Units | Method       | Limit   | Status |
|--------------------------------------|----------|-------|--------------|---------|--------|
| Standard Plate Count                 | 0/10     | cfu/g | FDA BAM      | 100,000 | Pass   |
| Total Yeast and Mold                 | 0/10     | cfu/g | FDA BAM      | 10,000  | Pass   |
| Bile-Tolerant Gram Negative Bacteria | <1       | cfu/g | AOAC 2003.01 | 1,000   | Pass   |
| STEC                                 | ND       | /25g  | MF-MICRO-18  | 1.0     | Pass   |
| Aspergillus flavus                   | ND       | /25g  | MF-MICRO-14  | 1.0     | Pass   |
| Aspergillus fumigatus                | ND       | /25g  | MF-MICRO-14  | 1.0     | Pass   |
| Aspergillus niger                    | ND       | /25g  | MF-MICRO-14  | 1.0     | Pass   |
| Aspergillus terreus                  | ND       | /25g  | MF-MICRO-14  | 1.0     | Pass   |

## Pesticide Residue Screen ✓ Pass

05/19/2025

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte                 | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-------------------------|----------------|-----------------|--------------|--------|
| Abamectin               | 0.04/0.10      | ND              | 0.3          | Pass   |
| Acephate                | 0.02/0.06      | ND              | 5.0          | Pass   |
| Acequinocyl             | 0.04/0.10      | ND              | 4.0          | Pass   |
| Acetamiprid             | 0.017/0.05     | ND              | 5.0          | Pass   |
| Aldicarb                | 0.02/0.06      | ND              | 0.02         | Pass   |
| Azoxystrobin            | 0.02/0.06      | ND              | 40.0         | Pass   |
| Bifenazate              | 0.02/0.06      | ND              | 5.0          | Pass   |
| Bifenthrin              | 0.04/0.10      | ND              | 0.5          | Pass   |
| Boscalid                | 0.02/0.06      | ND              | 10.0         | Pass   |
| Captan                  | 0.2/0.6        | ND              | 5.0          | Pass   |
| Carbaryl                | 0.02/0.06      | ND              | 0.5          | Pass   |
| Carbofuran              | 0.017/0.05     | ND              | 0.017        | Pass   |
| Chlorantraniliprole     | 0.02/0.06      | ND              | 40.0         | Pass   |
| Chlordane               | 0.02/0.06      | ND              | 0.02         | Pass   |
| Chlorpyrifos            | 0.02/0.06      | ND              | 0.02         | Pass   |
| Clofentezine            | 0.02/0.06      | ND              | 0.5          | Pass   |
| Coumaphos               | 0.02/0.06      | ND              | 0.02         | Pass   |
| Cyfluthrin              | 0.10/0.30      | ND              | 1.0          | Pass   |
| Cypermethrin            | 0.10/0.30      | ND              | 1.0          | Pass   |
| Daminozide              | 0.017/0.05     | ND              | 0.017        | Pass   |
| DDVP (Dichlorvos)       | 0.013/0.04     | ND              | 0.013        | Pass   |
| Diazinon                | 0.017/0.05     | ND              | 0.2          | Pass   |
| Dimethoate              | 0.017/0.05     | ND              | 0.017        | Pass   |
| Dimethomorph            | 0.017/0.05     | ND              | 20.0         | Pass   |
| Ethoprop(hos)           | 0.02/0.06      | ND              | 0.02         | Pass   |
| Etofenprox              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Etoxazole               | 0.02/0.06      | ND              | 1.5          | Pass   |
| Fenhexamid              | 0.017/0.05     | ND              | 10.0         | Pass   |
| Fenoxycarb              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Fenpyroximate           | 0.02/0.06      | ND              | 2.0          | Pass   |
| Fipronil                | 0.02/0.06      | ND              | 0.02         | Pass   |
| Flonicamid              | 0.02/0.06      | ND              | 2.0          | Pass   |
| Fludioxonil             | 0.02/0.06      | ND              | 30.0         | Pass   |
| Hexythiazox             | 0.02/0.06      | ND              | 2.0          | Pass   |
| Imazalil                | 0.02/0.06      | ND              | 0.02         | Pass   |
| Imidacloprid            | 0.02/0.06      | ND              | 3.0          | Pass   |
| Kresoxim Methyl         | 0.02/0.06      | ND              | 1.0          | Pass   |
| Malathion               | 0.017/0.05     | ND              | 5.0          | Pass   |
| Metalaxyl               | 0.017/0.05     | ND              | 15.0         | Pass   |
| Methiocarb              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Methomyl                | 0.013/0.04     | ND              | 0.1          | Pass   |
| Methyl parathion        | 0.02/0.06      | ND              | 0.02         | Pass   |
| Mevinphos               | 0.02/0.06      | ND              | 0.02         | Pass   |
| Myclobutanil            | 0.02/0.06      | ND              | 9.0          | Pass   |
| Naled                   | 0.017/0.05     | ND              | 0.5          | Pass   |
| Oxamyl                  | 0.013/0.04     | ND              | 0.2          | Pass   |
| Paclobutrazol           | 0.02/0.06      | ND              | 0.02         | Pass   |
| Pentachloronitrobenzene | 0.017/0.05     | ND              | 0.2          | Pass   |
| Permethrins             | 0.10/0.30      | ND              | 20.0         | Pass   |
| Phosmet                 | 0.02/0.06      | ND              | 0.2          | Pass   |
| Piperonyl Butoxide      | 0.02/0.06      | ND              | 8.0          | Pass   |
| Prallethrin             | 0.04/0.10      | ND              | 0.4          | Pass   |

| Analyte         | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-----------------|----------------|-----------------|--------------|--------|
| Propiconazole   | 0.02/0.06      | ND              | 20.0         | Pass   |
| Propoxur        | 0.013/0.04     | ND              | 0.013        | Pass   |
| Pyrethrins      | 0.15/0.50      | ND              | 1.0          | Pass   |
| Pyridaben       | 0.017/0.05     | ND              | 3.0          | Pass   |
| Spinetoram      | 0.02/0.06      | ND              | 3.0          | Pass   |
| Spinosad        | 0.02/0.06      | ND              | 3.0          | Pass   |
| Spiromesifen    | 0.04/0.10      | ND              | 12.0         | Pass   |
| Spirotetramat   | 0.02/0.06      | ND              | 13.0         | Pass   |
| Spiroxamine     | 0.017/0.05     | ND              | 0.017        | Pass   |
| Tebuconazole    | 0.02/0.06      | ND              | 2.0          | Pass   |
| Thiacloprid     | 0.013/0.04     | ND              | 0.013        | Pass   |
| Thiamethoxam    | 0.02/0.06      | ND              | 4.5          | Pass   |
| Trifloxystrobin | 0.02/0.06      | ND              | 30.0         | Pass   |

## Residual Solvent Screen ✓ Pass

05/19/2025

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte   | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|-----------|---------------|----------------|-------------|--------|
| n-Butane  | 67/200        | ND             | 800         | Pass   |
| Ethanol   | 67/200        | <LOQ           | 5000        | Pass   |
| n-Heptane | 67/200        | ND             | 500         | Pass   |
| n-Hexane  | 67/200        | ND             | 100         | Pass   |

## Heavy Metal Screen ✓ Pass

05/19/2025

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|----------------|-----------------|--------------|--------|
| Arsenic | 0.02/0.05      | ND              | 0.5          | Pass   |
| Cadmium | 0.02/0.05      | ND              | 0.5          | Pass   |
| Mercury | 0.02/0.05      | ND              | 0.5          | Pass   |
| Lead    | 0.02/0.125     | ND              | 0.5          | Pass   |

## Foreign Material ✓ Pass

05/19/2025

Method: MF-CHEM-7

| Analyte                        | Findings | Limit    | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND       | 25%      | Pass   |
| Mold                           | ND       | 25%      | Pass   |
| Imbedded Foreign Material      | ND       | 25%      | Pass   |
| Insect Fragment                | ND       | 1 per 3g | Pass   |
| Hair                           | ND       | 1 per 3g | Pass   |
| Mammalian Excreta              | ND       | 1 per 3g | Pass   |

## Mycotoxin Screen ✓ Pass

05/19/2025

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte      | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg) | Status |
|--------------|-----------------|------------------|---------------|--------|
| Aflatoxin B1 | 2/5             | ND               | 20            | Pass   |
| Aflatoxin B2 | 2/5             | ND               | 20            | Pass   |
| Aflatoxin G1 | 2/5             | ND               | 20            | Pass   |
| Aflatoxin G2 | 2/5             | ND               | 20            | Pass   |
| Ochratoxin A | 6/18            | ND               | 20            | Pass   |

ND = None Detected  
 LOD = Limit of Detection  
 LOQ = Limit of Quantitation

Reported by




Vu Lam  
 Lab Co Director



Scan to verify