

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
DEA# PA0202945

CUSTOMER:

Crescent Distributions NC
2728 Magazine Street
New Orleans 70130
NA

MANUFACTURER:

Lake Louie/Wisconsin Brewing Company
1079 American Way
Verona 53593



SAMPLE INFORMATION

Sample No.: 1377547
Product Name: Sour Watermelon 5mg
Matrix: Edible (Beverage)
Lot #: 2601-CCSW(5)1 M

Date Collected: 01/22/2026
Date Received: 01/22/2026
Date Reported: 01/28/2026

TEST SUMMARY

Cannabinoid Profile: ✔ Tested
Microbiological Screen: ✔ Pass
Residual Solvent Screen: ✔ Pass
Mycotoxin Screen: ✔ Pass

Terpenoid Profile: ✔ Tested
Pesticide Residue Screen: ✔ Pass
Heavy Metal Screen: ✔ Pass

Customer Comment(s):

The batch was processed in a facility that holds a current and valid permit issued by a human health or food safety regulatory entity with authority over the facility, and that facility meets the human health or food safety sanitization requirements of the regulatory entity.

Cannabinoid Profile ✔ Tested

01/24/2026

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.0008 mg/g
Limit of Quantitation 0.0025 mg/g

| Cannabinoid | mg/g | % | mg/ml | mg/package | Labeled mg/package | % Difference |
|-------------------------------|----------|---------|--------|------------|--------------------|--------------|
| Δ8-THC | ND | ND | ND | ND | - | - |
| Δ9-THC | 0.0122 | 0.00122 | 0.0124 | 4.396 | 5 | 12.083 |
| Δ9-THCA | ND | ND | ND | ND | - | - |
| THCV | ND | ND | ND | ND | - | - |
| THCVA | ND | ND | ND | ND | - | - |
| CBD | ND | ND | ND | ND | 4 | 100.000 |
| CBDA | ND | ND | ND | ND | - | - |
| CBC | ND | ND | ND | ND | - | - |
| CBCA | ND | ND | ND | ND | - | - |
| CBDV | ND | ND | ND | ND | - | - |
| CBG | ND | ND | ND | ND | - | - |
| CBGA | ND | ND | ND | ND | - | - |
| CBN | ND | ND | ND | ND | - | - |
| Total THC | 0.0122 | 0.00122 | 0.0124 | 4.396 | - | - |
| Total CBD | ND | ND | ND | ND | - | - |
| Total Cannabinoids | 0.0122 | 0.00122 | 0.0124 | 4.396 | - | - |
| Sum of Cannabinoids | 0.0122 | 0.00122 | 0.0124 | 4.396 | - | - |
| Package Weight (g) | 360.3144 | | | | | |
| g/ml Conversion Factor | 1.0150 | | | | | |

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Comment(s): This result of this sample is confirmed with a retest.

Terpenoid Profile

01/28/2026

Method: MF-CHEM-17

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Terpene | LOD/LOQ (mg/g) | mg/g | % |
|-----------------------|----------------|------|----|
| α-Pinene | 0.009/0.025 | ND | ND |
| Camphene | 0.009/0.025 | ND | ND |
| β-Myrcene | 0.009/0.025 | ND | ND |
| β-Pinene | 0.009/0.025 | ND | ND |
| δ-3-Carene | 0.009/0.025 | ND | ND |
| Limonene | 0.009/0.025 | ND | ND |
| α-Terpinene | 0.009/0.025 | ND | ND |
| trans-beta-Ocimene | 0.006/0.01725 | ND | ND |
| cis-beta-Ocimene | 0.003/0.00775 | ND | ND |
| p-Cymene | 0.009/0.25 | ND | ND |
| Eucalyptol | 0.009/0.025 | ND | ND |
| γ-Terpinene | 0.009/0.025 | ND | ND |
| Terpinolene | 0.009/0.025 | ND | ND |
| Linalool | 0.009/0.025 | ND | ND |
| Isopulegol | 0.009/0.025 | ND | ND |
| Menthol | 0.009/0.025 | ND | ND |
| (-)-Borneol | 0.009/0.025 | ND | ND |
| Terpineol | 0.009/0.025 | ND | ND |
| Citronellol | 0.009/0.025 | ND | ND |
| Geraniol | 0.009/0.025 | ND | ND |
| β-Caryophyllene | 0.009/0.025 | ND | ND |
| α-Humulene | 0.009/0.025 | ND | ND |
| cis-Nerolidol | 0.004/0.01025 | ND | ND |
| trans-Nerolidol | 0.005/0.01475 | ND | ND |
| Guaial | 0.009/0.25 | ND | ND |
| Caryophyllene Oxide | 0.009/0.025 | ND | ND |
| α-Bisabolol | 0.009/0.025 | ND | ND |
| Total Terpenes | - | ND | ND |

Microbiological Screen ✔ Pass

01/27/2026

| Analyte | Findings | Units | Instrument | Method | Limit | Status |
|-----------------------|--------------|-------|------------|------------------|-------|--------|
| E. Coli | Not Detected | /25g | - | FDA BAM Modified | 1 | Pass |
| Salmonella | Not Detected | /25g | - | AOAC 2016.01 | 1 | Pass |
| STEC | Not Detected | /25g | - | MF-MICRO-18 | 1 | Pass |
| Aspergillus flavus | Not Detected | /25g | - | MF-MICRO-14 | 1 | Pass |
| Aspergillus fumigatus | Not Detected | /25g | - | MF-MICRO-14 | 1 | Pass |
| Aspergillus niger | Not Detected | /25g | - | MF-MICRO-14 | 1 | Pass |
| Aspergillus terreus | Not Detected | /25g | - | MF-MICRO-14 | 1 | Pass |
| Total Yeast and Mold | 0/10 | cfu/g | - | FDA BAM | - | Pass |

Pesticide Residue Screen ✔ Pass

01/28/2026

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Measurement of Uncertainty Average: ±21.40%

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---------------------|---------------|----------------|-------------|--------|
| Abamectin | 0.015/0.05 | ND | 0.05 | Pass |
| Acephate | 0.003/0.01 | ND | 0.01 | Pass |
| Acequinocyl | 0.003/0.01 | ND | 0.01 | Pass |
| Acetamiprid | 0.003/0.01 | ND | 0.01 | Pass |
| Aldicarb | 0.003/0.01 | ND | 0.01 | Pass |
| Azoxystrobin | 0.003/0.01 | ND | 0.01 | Pass |
| Bifenazate | 0.003/0.01 | ND | 0.01 | Pass |
| Bifenthrin | 0.003/0.01 | ND | 0.01 | Pass |
| Boscalid | 0.003/0.01 | ND | 0.01 | Pass |
| Captan | 0.250/0.7 | ND | 0.7 | Pass |
| Carbaryl | 0.003/0.01 | ND | 0.01 | Pass |
| Carbofuran | 0.003/0.01 | ND | 0.01 | Pass |
| Chlorantraniliprole | 0.003/0.01 | ND | 0.01 | Pass |
| Chlordane | 0.020/0.06 | ND | 0.06 | Pass |
| Chlorfenapyr | 0.015/0.05 | ND | 0.05 | Pass |
| Chlorpyrifos | 0.003/0.01 | ND | 0.01 | Pass |

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|-------------------------|---------------|----------------|-------------|--------|
| Clofentezine | 0.003/0.01 | ND | 0.01 | Pass |
| Coumaphos | 0.003/0.01 | ND | 0.01 | Pass |
| Cyfluthrin | 0.015/0.05 | ND | 0.05 | Pass |
| Cypermethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Daminozide | 0.003/0.01 | ND | 0.01 | Pass |
| DDVP (Dichlorvos) | 0.003/0.01 | ND | 0.01 | Pass |
| Diazinon | 0.003/0.01 | ND | 0.01 | Pass |
| Dimethoate | 0.003/0.01 | ND | 0.01 | Pass |
| Dimethomorph | 0.003/0.01 | ND | 0.01 | Pass |
| Ethoprop(hos) | 0.003/0.01 | ND | 0.01 | Pass |
| Etofenprox | 0.003/0.01 | ND | 0.01 | Pass |
| Etoxazole | 0.003/0.01 | ND | 0.01 | Pass |
| Fenhexamid | 0.007/0.02 | ND | 0.02 | Pass |
| Fenoxycarb | 0.003/0.01 | ND | 0.01 | Pass |
| Fenpyroximate | 0.007/0.02 | ND | 0.02 | Pass |
| Fipronil | 0.003/0.01 | ND | 0.01 | Pass |
| Flonicamid | 0.003/0.01 | ND | 0.01 | Pass |
| Fludioxonil | 0.003/0.01 | ND | 0.01 | Pass |
| Hexythiazox | 0.003/0.01 | ND | 0.01 | Pass |
| Imazalil | 0.003/0.01 | ND | 0.01 | Pass |
| Imidacloprid | 0.003/0.01 | ND | 0.01 | Pass |
| Kresoxim Methyl | 0.003/0.01 | ND | 0.01 | Pass |
| Malathion | 0.003/0.01 | ND | 0.01 | Pass |
| Metalaxyl | 0.003/0.01 | ND | 0.01 | Pass |
| Methiocarb | 0.003/0.01 | ND | 0.01 | Pass |
| Methomyl | 0.003/0.01 | ND | 0.01 | Pass |
| Methyl parathion | 0.003/0.01 | ND | 0.01 | Pass |
| Mevinphos | 0.007/0.02 | ND | 0.02 | Pass |
| Myclobutanil | 0.003/0.01 | ND | 0.01 | Pass |
| Naled | 0.003/0.01 | ND | 0.01 | Pass |
| Oxamyl | 0.003/0.01 | ND | 0.01 | Pass |
| Paclobutrazol | 0.003/0.01 | ND | 0.01 | Pass |
| Pentachloronitrobenzene | 0.003/0.01 | ND | 0.01 | Pass |
| Permethrins | 0.015/0.05 | ND | 0.05 | Pass |
| Phosmet | 0.003/0.01 | ND | 0.01 | Pass |
| Piperonyl Butoxide | 0.003/0.01 | ND | 0.01 | Pass |
| Prallethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Propiconazole | 0.003/0.01 | ND | 0.01 | Pass |
| Propoxur | 0.003/0.01 | ND | 0.01 | Pass |
| Pyrethrins | 0.015/0.05 | ND | 0.05 | Pass |
| Pyridaben | 0.003/0.01 | ND | 0.01 | Pass |
| Spinetoram | 0.003/0.01 | ND | 0.01 | Pass |
| Spinosad | 0.003/0.01 | ND | 0.01 | Pass |
| Spiromesifen | 0.003/0.01 | ND | 0.01 | Pass |
| Spirotetramat | 0.003/0.01 | ND | 0.01 | Pass |
| Spiroxamine | 0.003/0.01 | ND | 0.01 | Pass |
| Tebuconazole | 0.003/0.01 | ND | 0.01 | Pass |
| Thiacloprid | 0.003/0.01 | ND | 0.01 | Pass |
| Thiamethoxam | 0.003/0.01 | ND | 0.01 | Pass |
| Trifloxystrobin | 0.003/0.01 | ND | 0.01 | Pass |
| Azadirachtin | 0.100/0.30 | ND | 0.3 | Pass |
| Chlormequat Chloride | 0.03/0.10 | ND | 0.1 | Pass |

Residual Solvent Screen ✔ Pass

01/28/2026

Measurement of Uncertainty Average: ±1.43%

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| 1,1-Dichloroethene | 2/4 | ND | 8 | Pass |
| 1,2-Dichloroethane | 0.2/0.5 | ND | 1 | Pass |
| Acetone | 14/40 | ND | 750 | Pass |
| Acetonitrile | 14/40 | ND | 60 | Pass |
| Benzene | 0.2/0.5 | ND | 1 | Pass |
| n-Butane | 14/40 | ND | 800 | Pass |
| Chloroform | 0.2/0.5 | ND | 1 | Pass |
| Ethanol | 14/40 | ND | 5000 | Pass |
| Ethyl acetate | 14/40 | ND | 400 | Pass |
| Ethyl ether | 14/40 | ND | 500 | Pass |
| Ethylene oxide | 0.2/0.5 | ND | 1 | Pass |
| n-Heptane | 14/40 | ND | 500 | Pass |
| n-Hexane | 14/40 | ND | 100 | Pass |
| Isopropyl alcohol | 14/40 | ND | 500 | Pass |
| Methanol | 14/40 | ND | 250 | Pass |
| Methylene chloride | 0.2/0.5 | ND | 1 | Pass |
| n-Pentane | 14/40 | ND | 750 | Pass |
| Propane | 14/40 | ND | 210 | Pass |
| Toluene | 14/40 | ND | 150 | Pass |
| Total xylenes (ortho-, meta-, para-) | 14/40 | ND | 150 | Pass |
| Trichloroethylene | 0.2/0.5 | ND | 1 | Pass |

Heavy Metal Screen ✔ Pass

01/28/2026

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|----------------|-----------------|--------------|--------|
| Arsenic | 0.033/0.101 | ND | 1.5 | Pass |
| Cadmium | 0.047/0.141 | ND | 0.5 | Pass |
| Mercury | 0.014/0.05 | ND | 3 | Pass |
| Lead | 0.107/0.324 | ND | 0.5 | Pass |

Mycotoxin Screen ✔ Pass

01/28/2026

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Measurement of Uncertainty (MU): ±20.21%

| Analyte | LOD/LOQ (ppb) | Findings (ppb) | Limit (ppb) | Status |
|------------------|---------------|----------------|-------------|--------|
| Aflatoxin B1 | 2/5 | ND | 5 | Pass |
| Aflatoxin B2 | 2/5 | ND | 20 | Pass |
| Aflatoxin G1 | 2/5 | ND | 20 | Pass |
| Aflatoxin G2 | 2/5 | ND | 20 | Pass |
| Total Aflatoxins | 8/20 | ND | 20 | Pass |
| Ochratoxin A | 2/5 | ND | 5 | Pass |

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by



Vu Lam
Lab Co Director



Scan to verify

The analytes and stated limits shown have been internally confirmed to meet or exceed Florida's hemp regulatory requirements ([Rule 5K-4.034](#)), current as of August 25, 2025. However, these requirements are subject to change and Anresco assumes no liability. It is the customer's sole responsibility to ensure their products are tested and remain compliant with applicable current laws and regulations.