

Raspberry Lime 5mg

Sample ID: 2605NBL0868.2382
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 05/15/2026
Completed: 06/02/2026
Expires: 06/02/2027
External Lot ID:
Batch#: CR096

Client
Crescent Distributions



Summary

Test	Date Tested	Result
Cannabinoids	05/16/2026	Pass
Residual Solvents	05/20/2026	Pass
Microbials	05/19/2026	Pass
Pesticides	06/01/2026	Pass
Heavy Metals	05/21/2026	Pass

Cannabinoids

Pass

4.511 mg/unit Total THC	0.0012% Compliance Result	3.081 mg/unit Total CBD	7.592 mg/unit Total Cannabinoids
-----------------------------------	-------------------------------------	-----------------------------------	--

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9186	1.378	ND	ND	ND
9R-HHC	0.9186	1.378	ND	ND	ND
(6aR,9S)-d10-THC	0.9186	1.378	ND	ND	ND
9S-HHC	0.9186	1.378	ND	ND	ND
CBC	0.9186	1.378	ND	ND	ND
CBCa	0.9186	1.378	ND	ND	ND
CBD	0.9186	1.378	3.081	0.00870	0.001
CBDa	0.9186	1.378	ND	ND	ND
CBDV	0.9186	1.378	ND	ND	ND
CBDVa	0.9186	1.378	ND	ND	ND
CBG	0.9186	1.378	ND	ND	ND
CBGa	0.9186	1.378	ND	ND	ND
CBN	0.9186	1.378	ND	ND	ND
CBNa	0.9186	1.378	ND	ND	ND
Δ8-THC	0.9186	1.378	ND	ND	ND
Δ9-THC	0.9186	1.378	4.511	0.01274	0.001
THCa	0.9186	1.378	ND	ND	ND
THCp	0.9186	1.378	ND	ND	ND
THCv	0.9186	1.378	ND	ND	ND
THCVa	0.9186	1.378	ND	ND	ND
Total THC			4.511	0.01274	0.001
Total CBD			3.081	0.00870	0.001
Total			7.592	0.02145	0.002

Date Tested: 05/16/2026
Density: 1 mL = 1.038 g, Unit Mass: 367.452 g, 1 Unit = 12 fl oz
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%. The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/02/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



Raspberry Lime 5mg

Sample ID: 2605NBL0868.2382

Received: 05/15/2026

Client

Matrix: Ingestible

Completed: 06/02/2026

Crescent Distributions

Type: Beverage

Expires: 06/02/2027

Sample Size:

External Lot ID:

Date Collected:

Batch#: CR096

Pesticides

Pass

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.102	0.029	0.300	ND	Pass	Imazalil	0.098	0.029	0.029	ND	Pass
Acephate	0.098	0.029	5.000	ND	Pass	Imidacloprid	0.098	0.029	3.000	ND	Pass
Acequinocyl	0.098	0.029	4.000	ND	Pass	Kresoxim Methyl	0.098	0.029	1.000	ND	Pass
Acetamiprid	0.098	0.029	5.000	ND	Pass	Malathion	0.098	0.029	5.000	ND	Pass
Aldicarb	0.098	0.029	0.029	ND	Pass	Metalaxyl	0.098	0.029	15.000	ND	Pass
Azoxystrobin	0.098	0.029	40.000	ND	Pass	Methiocarb	0.098	0.029	0.029	ND	Pass
Bifenazate	0.098	0.029	5.000	ND	Pass	Methomyl	0.098	0.029	0.100	ND	Pass
Bifenthrin	0.098	0.029	0.500	ND	Pass	Mevinphos	0.098	0.029	0.029	ND	Pass
Boscalid	0.098	0.029	10.000	ND	Pass	Myclobutanil	0.098	0.029	9.000	ND	Pass
Captan	0.684	0.205	5.000	ND	Pass	Naled	0.244	0.074	0.500	ND	Pass
Carbaryl	0.098	0.029	0.500	ND	Pass	Oxamyl	0.098	0.029	0.200	ND	Pass
Carbofuran	0.098	0.029	0.029	ND	Pass	Paclbutrazol	0.098	0.029	0.029	ND	Pass
Chlorantraniliprole	0.098	0.029	40.000	ND	Pass	Methyl Parathion	0.078	0.029	0.029	ND	Pass
Chlorpyrifos	0.098	0.029	0.029	ND	Pass	Pentachloronitrobenzene	0.078	0.029	0.200	ND	Pass
Clofentezine	0.098	0.029	0.500	ND	Pass	Permethrins	0.098	0.029	20.000	ND	Pass
Coumaphos	0.098	0.029	0.029	ND	Pass	Phosmet	0.098	0.029	0.200	ND	Pass
Cyfluthrin	0.488	0.146	1.000	ND	Pass	Piperonyl Butoxide	0.098	0.029	8.000	ND	Pass
Cypermethrin	0.488	0.146	1.000	ND	Pass	Prallethrin	0.098	0.029	0.400	ND	Pass
Daminozide	0.977	0.293	0.293	ND	Pass	Propiconazole	0.098	0.029	20.000	ND	Pass
Diazinon	0.098	0.029	0.200	ND	Pass	Propoxur	0.098	0.029	0.029	ND	Pass
Dichlorvos	0.049	0.016	0.016	ND	Pass	Pyrethrins	0.488	0.146	1.000	ND	Pass
Dimethoate	0.098	0.029	0.029	ND	Pass	Pyridaben	0.098	0.029	3.000	ND	Pass
Dimethomorph	0.094	0.029	20.000	ND	Pass	Spinetoram	0.098	0.029	3.000	ND	Pass
Ethoprophos	0.098	0.029	0.029	ND	Pass	Spinosad	0.100	0.029	3.000	ND	Pass
Etofenprox	0.098	0.029	0.029	ND	Pass	Spiromesifen	0.098	0.029	12.000	ND	Pass
Etoazole	0.098	0.029	1.500	ND	Pass	Spirotetramat	0.098	0.029	13.000	ND	Pass
Fenhexamid	0.098	0.029	10.000	ND	Pass	Spiroxamine	0.098	0.029	0.029	ND	Pass
Fenoxycarb	0.098	0.029	0.029	ND	Pass	Tebuconazole	0.098	0.029	2.000	ND	Pass
Fenpyroximate	0.098	0.029	2.000	ND	Pass	Thiacloprid	0.098	0.029	0.029	ND	Pass
Flonicamid	0.098	0.029	2.000	ND	Pass	Thiamethoxam	0.098	0.029	4.500	ND	Pass
Fludioxonil	0.098	0.029	30.000	ND	Pass	Trifloxystrobin	0.098	0.029	30.000	ND	Pass
Hexythiazox	0.098	0.029	2.000	ND	Pass						

Date Tested: 06/01/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025. The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/02/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Raspberry Lime 5mg

Sample ID: 2605NBL0868.2382

Received: 05/15/2026

Client

Matrix: Ingestible

Completed: 06/02/2026

Crescent Distributions

Type: Beverage

Expires: 06/02/2027

Sample Size:

External Lot ID:

Date Collected:

Batch#: CR096

Microbials

Pass

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Pass
Salmonella	1.000	ND	Pass

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Yeast & Mold	8	ND	Pass
E. Coli	8	ND	Pass

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.
Date Tested: 05/19/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.048	0.096	10.000	ND	Pass
Cadmium	0.048	0.096	4.100	ND	Pass
Lead	0.048	0.096	10.000	ND	Pass
Mercury	0.048	0.096	2.000	ND	Pass

Date Tested: 05/21/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/02/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



Raspberry Lime 5mg

Sample ID: 2605NBL0868.2382

Received: 05/15/2026

Client

Matrix: Ingestible

Completed: 06/02/2026

Crescent Distributions

Type: Beverage

Expires: 06/02/2027

Sample Size:

External Lot ID:

Date Collected:

Batch#: CR096

Residual Solvents

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Benzene	0.300	1.000	1.000	ND	Pass
n-Butane	69.000	230.000		ND	Tested
Isobutane	69.000	230.000		ND	Tested
Butanes			800.000	ND	Pass
Ethanol	75.000	250.000	5000.000	265.769	Pass
Heptane	75.000	250.000	500.000	ND	Pass
n-Hexane	1.500	5.000		ND	Tested
2,2-Dimethylbutane	1.500	5.000		ND	Tested
3-Methylpentane	1.500	5.000		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	3.000	10.000		ND	Tested
Hexanes			10.000	ND	Pass
Toluene	0.150	0.500	1.000	ND	Pass
m/p-Xylene	0.150	0.500		ND	Tested
o-Xylene	0.150	0.500		ND	Tested
Xylenes			1.000	ND	Pass

Date Tested: 05/20/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020., Butanes (measured as the cumulative sum of n-Butane and iso-Butane), Hexanes (measured as the cumulative sum of n-Hexane, 2,2-Dimethylbutane, 3-Methylpentane, 2-Methylpentane/2,3-Dimethylbutane), Xylenes (measures as the cumulative sum of m/p-Xylene and o-Xylenes) The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/02/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.